JAN 1 8 2003 33



JAN 2 2 7003

		The second second		r 		- CHTED	tenn/90nn		
INFORMATION DESCENSURE				Attorney Docket No.:	IEU	H CEIVIEN	1500/2800	_	
STATE	MENT	BY APPLICANT		25.01			09/992,95	7	
CODM D	TO 144	2							
FORM P	10-144	9		Applicants Hone H	[orangiio	n ot ol	Group:		
				Applicant: Hans Herweijer, et al.			Gloup.		
						.		,	
							Examiner		
							2		
			U.S. PA	TENT DOCUMENTS					
Exmnr Intl	Seq	Patent Number	Issue Date	Patentee	Class	Sub Class	Filing Date		
1110	Seq	Fatelit Mulliber	Date	ratentee	Class	Class			
	}				}				
	L	FORFIGN PA	TENT OR PURI	l ISHED FOREIGN PAT	ENT API	PLICATION			
	, <u></u>							· —	
	1	Desument	Publ.	Country or	Class	Sub		nsi.	
		Document Number	Date	Patent Office	Class	Class	Yes	No	
		Number							
	1		}						
	I								
OTHER	DOCUM	MENTS (Including Au	thor, Title, Date	Pertinent Pages, etc.)					
,		Svoboda et al., "I	RNAi in mouse	e oocytes and preimp	lantation	embryos:	effectivene	ess of	
			Biochemical a	and Biophysical Research Communication; 2001, vol. 287,					
		pp. 1099-1104							
1	Trubetskoy et al., "quantitative assessment of DNA condensation," Analytical								
		Biochemistry; 1999, vol. 267, pp. 309-313							
		Suter et al., "BAC-VAC, a novel generation of (DNA) vaccines: A bacterial artificial							
		chromosome (BAC) containing a replication-competent, packaging –defective virus							
		genome induces protective immunity against herpes simplex virus 1," PNAS; 1999, vol. 96							
		no. 22, pp. 12697-12702							
				er deposition of oppo	ositely cl	narged poly	yelectrolyte	s on the	
				icles," Nucleic Acids	•		-		
		3090-3095	•	•		. ,	•		
	1		"Self-assemb	ly of DNA-polymer o	omplexe	es using ter	nplate		
			Trubetskoy et al., "Self-assembly of DNA-polymer complexes using template polymerization," Nucleic Acids Research; 1998, vol. 26, no. 18, pp. 4178-4185						
		Trubetskoy et al., "Caged DNA does not aggregate in high ionic strength solutions,"							
		Bioconjugate Chem; 1999, vol. 10, pp. 624-628							
	1	Krieg et al., "The role of CpG dinucleotides in DNA vaccines," Trends in Microbiology;							
		1998, vol. 6, no. 1, pp. 23-7							
DS	Lipford et al., "Bacterial DNA as immune cell activator," Trends in Microbiology; 1998,						1998.		
	t		- Conai Divil	cell activa	, 110	111 1711	orodotogy,		

Bell 3/18/04

RECEIVED

JAN 2 2 2003

8 2003 E

TENT & TRADENS	TECH CENTER 1600/2900
TENT & TRADE	vol. 6, no. 12 , pp 45 (-500
~~	Akbari et al., "DNA vaccination: transfection and activation of dendritic cells as key events
	for immunity," The Rockefeller University Press; 1999, vol. 189, no. 1, pp. 169-177
(Iwasaki et al., "Enhanced CTL responses mediated by plasmid DNA immunogens encoding
	costimulatory molecules and cytokines," The Journal of Immunology; 1997, vol. 158, pp.
	4591-4601
	Etchart et al., "Class I-restricted CTL induction by mucosal immunization with naked DNA
.	encoding measles virus haemagglutinin,' Journal of General Virology; 1997, vol. 78, pp.
	1577-1580
'	Herrmann et al., "Immune responses and protection obtained by oral immunization with
	rotavirus VP4 and VP7 vaccines encapsulated in microparticles," Virology; 1999, vol. 259,
	pp. 148-153
	Kaneko et al., "Oral DNA vaccination promoted mucosal and systemic immune responses
	to HIV envelope glycoprotein," Virology; 2000, vol. 267, pp. 8-16
	Chen et al., "Protective immunity induced by oral immunization with a rotavirus DNA
	vaccine encapsulated in microparticles," Journal of Virology, 1998, pp. 5757-5761
	Gregoriadis et al., "Liposome-mediated DNA vaccination," REBS Letters; 1997, vol. 402,
	pp. 107-110
	MacGregor et al., "First Human Trial of a DNA-Based Vaccine for Treatment of Human
	Immunodeficiency Virus Type 1 Infection: Saftey and Host Response," The Journal of
	Infectious Diseases; 1998, vol. 178, pp. 92-100
	Donnelly et al., "DNA Vaccines," Life Sciences; 1997, vol. 60, no. 3, pp. 163-172
	Tomasi "Introduction: an overview of the mucosal system," Handbook of Mucosal
	Immunology
.	Fasano "Novel approaches for oral delivery of macromolecules," Journal of Pharmaceutical
	Sciences; 1998, vol. 87, no. 11
,	Jackson et al., "Preparation and properties of totally synthetic immunogens," Vaccine;
	2000, vol. 18, pp. 355-361
"	DeNoon et al., "Conference coverage (ECP) combination vaccines): CEO: Biotech
-	Breakthrough could shake vaccine industry," Aidsweekly Plus; 1998
	DeNoon "Conference coverage (ECP! Combination vaccines) 2202 vaccine market: \$7
- 	billion," newsrx.com; 1998
	Irache et al., "Bioadhesion of lectin-latex conjugates to rat intestinal mucosa,"
	Pharmaceutical Research; 1996, vol. 13, no. 11 Shofton et al. "A pougla place of arti DNA antibadical identified in DALD/a mice." The
	Shefner et al., "A novel class of anti-DNA antibodies identified in BALB/c mice," The Rockerfeller University Press; 1991, vol. 173, pp. 287-296
	
	Eilat et al., "Monoclonal antibodies to DNA and RNA from NZB/NZW F1 mice: antigenic specificities and NH2 terminal amino acid sequences," The Journal of Immunology; 1984,
	vol. 133, no. 1
	Katsumi et al., "Humoral and cellular immunity to an encoded protein induced by direct
	DNA injection," Human Gene Therapy; 1994, vol. 5, pp. 1335-1339
	Gilkeson et al., "Specificity of andi-DNA antibodies induced in normal mice by
D8 '	immunization with bacterial DNA," Clinical Immunology and Immunopathology; 1991,
	vol. 59, pp. 288-300
	1 1011 07, pp. 200 000

IAN 18	KOTE SIN	
	C. C	Whiteside et al., "Clinical usefulness of the crithida luciliae test for antibodies to native
The same of the sa	S A S A S A S A S A S A S A S A S A S A	DNA," Anti-DS DNA in Disease; vol. 72, no. 5
- [-	Tron et al., "Relationships between antibodies to native DNA and glomerulonephritis in
		systemic lupus erythematosus," Clin. Exp. Immunol; 1977, vol. 28, pp.426-432
	_	Nakamura et al., "Microhemagglutination test for detection of antibodies to nuclear sm and
- 1		ribonucleoprotein antigens in systemic lupus erythematosus and related diseases," Detection
		of sm and RNP antibodies; 1978, vol. 70, no. 5
1	•	Wolff et al., "Long-term persistence of lasmid DNA and foreign gene expression in mouse
		muscle," Human Molecular Genetics; 1992, vol. 1, no. 6, pp. 363-369
- 1		Liebert et al., "What about those monkeys that got T-Cell lymphoma," Human gene
		Therapy; 1993, vol. 4, pp. 1-2
		Liebert et al., "Saftey issues related to retroviral-mediated gene transfer in humans," Human
		Gene Therapy; 1991, vol. 2, pp. 5-14
	•	Lahijani et al., "Quantitation of host cellDNA contaminate in pharmaceutical-grade plasmid
		DNA using competitive polymerase chain reaction and enzyme-linked immunosorbent
		assay," Human Gene Therapy; 1998, vol. 9, pp. 1173-1180
	•	Lahijani et al., "High-yield production of pBR322-derived plasmids intended for human
		gene therapy by employing a temperature-controllable point mutation," Human Gene
		Therapy; 1996, vol. 7, pp. 1971-1980
-		Boyle "Disease and fertility control in wildlife and feral animal populations: options for
		vaccine delivery using vectors," Teprod. Fertil. Dev.; 1994, vol. 6, pp. 393-400
	,	Sato et al., "Immunostimulatory DNA sequences necessary for effective intradermal gene
		immunization," Science; 1996, vol. 273
	r	Roman et al., "Immunostimulatory DNA sequences function as T helper-1-promoting
		adjuvants," Nature Medicine; 1997, vol. 3, no. 8
		Leclerc et al., "The preferential induction of a TH1 immune response by DNA-based
		immunization is mediated by the immunostimulatory effect of plasmid DNA," Cellular
		Immunology; 1997, vol. 179, pp. 97-106
	•-	Fu et al., "Primin of cytotoxic T lymphocytes by DNA vaccines: requirement for
		professional antigen presenting cells and evidence for antigen transfer from myocytes,"
		Molecular Medicine; 1997, vol. 3, no. 6, pp. 362-371
		Kim et al., "Engineering of in vivo immune responses to DNA immunization via codelivery
		of costimulatory molecule genes," Nature Biotechnology; 1997, vol. 15, סלנטן בון בון בון בון בון בון בון בון בון בו
	,	Chow et al., "Development of TH1 and Th2 populations and the nature of immune
1		responses to hepatitis B virus DNA vaccines can be modulated by codelivery of various
_\ .	<u> </u>	cytokine genes," The Journal of Immunology; pp.1320-1329
	·	Xiang et al., "Manipulation of the immune response to a plasmid-encoded viral antigen by
		coinoculation with plasmids expressing cytokines," Immunity; 1995, vol. 2, pp. 129-135
		Pardoll et al., "Exposing the immunology of naked DNA vaccines," Immunity; 1995, vol. 3,
1		pp. 165-169
	e e	Quong et al., "DNA protection form extracapsular nucleases, within chitosan- or poly-l-
	.	lysine-coated alginated beads,"
76		Roy et al., "oral gene delivery with chitosan-DNA nanoparticles generates immunologic
V	1	protection in a murine model of peanut allergy," Nature Medicine; 1999, vol. 5, no. 4

projection in a murine model of peanut allers

3/18/04

1 MAL	A 5000 5				
	& IRADE SE	Alapar et al., "Potential of particulate carriers for the mucosal delivery of DNA vaccines," Biochemical Socienty Transactions; 1997, vol. 25, p. 3378			
	,	Jones et al., "Poly(DL-lactide-co-glycolide)-encapsulated plasmid DNA elicites systemic			
		and mucosal antibody responses to encoded protein after oral administration," Vaccine,			
		1997, vol. 15, no. 8, pp. 814-817			
		Ermak et al., "Uptake and transport of copolymer biodegradable microspheres by rabbit			
		peyer's patch M cells," Cell Tissue Res; 1995, vol. 279, pp. 433-436			
.		Florence et al., "Factors affecting the oral uptake and translocation of polystyrene			
		nanoparticles: histological and analytical evidence," Journal of Drug Targeting; 1995, vol. 3, pp. 65-70			
		Bockman et al., "Pinocytosis by epithelium associated with lymphoid follicles in the bursa			
		of fabricius, appendix, and peyer's patches. An electron microscope study," Am. J. Anat.; vol. 136, pp. 455-478			
	•	Mathiowitz et al., "Biologically erodable microspheres as potential oral drug delivery systems," Nature; 1997, vol. 386			
		Ishii et al., "cationic liposomes are a strong adjuvant for a DNA vaccine of human			
		immunodeficiency virus type 1," Aids Research and Human Retroviruses; 1997, vol. 13, no. 16, pp. 1421-1428			
	•	Jiao et al., "Direct gene transfer into nonhuman primate myofibers in vivo," Human Gene			
		Therapy; 1992, vol. 3, pp. 21-33			
	1	Wang et al., "Induction of antigen-specific cytotoxic T lymphocytes in a humans by a			
		malaria DNA vaccine," Science; 1998, vol. 282, 476 - 480			
	,	Ulmer et al., "Heterologous protection against influenza by injection of DNA encoding a			
		viral protein," Science; 1993, vol. 259, p 745-1749			
	.	Acsadi et al., "Direct gene transfer and expression into rat heart in vivo," The New			
		Biologist; 1991, vol. 3, no. 1, pp. 71-81			
	[Tang et al., "Genetic immunization is a simple method for eliciting an immune response,"			
		Nature; 1992, vol. 356 pg. 152–154			
		Wolff et al., "Direct gene transfer into mouse muscle in vivo," Science; 1990, vol. 247, pp.			
		1465-1468			
	-	Ulmer et al., "Generation of MHC class I-restricted cytotoxic T lymphocytes by expression			
		of a viral protein in muscle cells: antigen presentation by non-muscle cells," Immunology; 1996, vol. 89, pp. 59-67			
	*	Donnelly et al., "DNA vaccines," Annu. Rev. Immunol.; 1997, vol. 15, pp. 617-648			
P8		Suhrbier "Multi-epitope DNA vaccines," Immunology and Cell Biology; 1997, vol. 75, pp. 402-408			

Examiner: Initial citation considered. Draw line through citation if not in conformance and not Considered. Include copy of this form with next Action to applicant

Sulla 3/18/04